

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomingdale, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ
RFQ-019120

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE 04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
1.0000	50	ST	FLG. 2" 900 WNRF, BORE EQUAL TO SCH ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9 CARBON STEEL TO ASTM A-234 GR B WPB W/ COUNTER FLANGES, GASKETS AND BOLTS AS COMPLETE SET TEST CERT REQUIRED		
2.0000	50	ST	FLG 2-900 WNRTJ BORE EQUAL TO SCH ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9 CARBON STEEL TO ASTM A-234 GR, B, WPB WITH COUNTER FLANGES, GASKETS & BOLTS AS COMPLETE SET TEST CERT REQUIRED		
3.0000	50	ST	FLG 2-600 WNRF, BORE EQUAL TO SCH. ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9 CARBON STEEL ASTM A-234 GR, B, WPB WITH COUNTER FLANGES, GASKETS & BOLTS AS COMPLETE SET TEST CERT REQUIRED		
4.0000	20	ST	FLG 3:" 900 WNRF BORE EQUAL TO SCH ALL FITTINGS TO BE BUTT WELD TO ANSI B16 CARBON STEEL TO ASTM A-234 GR B, WPB WITH COUNTER FLANGES, GASKETS AND BOLTS AS COMPLETE SET TEST CERT REQUIRED		
5.0000	20	EA	PUF-07-01-02 FLG 3. 1/8 300 AP I TYPE 6B WNRTJBOR ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9 CARBON STEEL TO ASTM A-234		
6.0000	20	EA	FLG. 2 1/8 3000 API TYP 6B WNRTJBOR		

Continued

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomingdale, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ

RFQ-019120
Continued
Page 2

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE					
04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
			ALL FITTINGS TO BE BUTT WELD TO ANSI CARBON STEEL TO ASTM A-234 GR, B WPB		
7.0000	40	EA	FLG. 6"-900#,ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9, CARBON STEEL TO ASTM A-234 GR B, WPB, WNRTJ BORE EQUAL TO SCH. 80		
8.0000	30	EA	FLG. 4"-900#,ALL FITTINGS TO BE BUTT TO ANSI B16.9, CARBON STEEL TO ASTM A-234 GR B, WPB, WNRTJ BORE EQUAL TO SCH. 80		
9.0000	200	EA	FLG. 2"-900#,ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9 CARBON STEEL TO ASTM A-234 GR B, WPB, WNRTJ BORE EQUAL TO SCH. 80		
10.0000	80	EA	FLG. ORIFICE, 2#-900#,ALL FITTINGS TO BE BUTT WELD TO ANSI B16.9, CARBON STEEL TO ASTM A-234 GR B, WPB, WNRF, SCH. 80		
11.0000	40	EA	GASKET - OVAL RING R-45 GASKET, METALLIC RING JOINT, EQUAL TO FLEXITALLIC GASKET, UK, OVAL-R,OCTAGONAL SOFT IRON MATERIAL B16.20 AND API 6A. RING TO BE STAMPED WITH RING NO. AND MATERIAL IDENTIFICATION, RING TO BE		

Continued

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomingdale, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ

RFQ-019120

Continued

Page 3

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE					
04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
			PLASTIC COATED TO PREVENT CORROSION , SOFT IRON TO B16.20, R-45		
12.0000	60	EA	GASKET - OVAL RING R-37 GASKET, METALLIC RING JOINT, EQUAL TO FLEXITALLIC GASKET, UK, OVAL-R, OCTAGONAL SOFT IRON MATERIAL B16.20 AND API 6A. RING TO BE STAMPED WITH RING NO. AND MATERIAL IDENTIFICATION, RING TO BE PLASTIC COATED TO PREVENT CORROSION SOFT IRON TO B16.20, R-37		
13.0000	200	EA	GASKET - OVAL RING R-24 GASKET, METALLIC RING JOINT, EQUAL TO FLEXITALLIC GASKET, UK, OVAL-R,OCTAGONAL SOFT IRON MATERIAL B16.20 AND API 6A. RING TO BE STAMPED WITH RING NO. AND MATERIAL IDENTIFICATION, RING TO BE PLASTICCOATED TO PREVENT CORROSION SOFT IRON TO B16.20, R-24		
14.0000	200	EA	INSULATION KIT, 2# ASA 900 TYPE F IBC		
15.0000	12	EA	ELL, 6" X 45 DEG., ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, PULLED BEND, 5D RAD, A-106 GR.B, SCH.80		
16.0000	12	EA	ELL, 4" X 45 DEG		

Continued

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomingdale, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ

RFQ-019120

Continued

Page 4

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE					
04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
			ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB , PULLED BEND,5D RAD,A-106 GR.B, SCH.80		
17.0000	180	EA	ELL, 2" X 45 DEG. ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, PULLED BEND, 5D RAD, A-106 GR.B, SCH.80		
18.0000	15	EA	REDUCER, 8" X 6" CONC., ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, SCH. 80,A-234 WPB		
19.0000	15	EA	REDUCER, 6" X 4" CONC., ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, SCH. 80,A-234 WPB		
20.0000	80	EA	TEE - 2" EQUAL., ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80, A-234 WPB		
21.0000	100	EA	TEE - 6" X 6# X 2" RED		

Continued

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomington, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ

RFQ-019120

Continued

Page 5

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE					
04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
			ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80, A-234 WPB		
22.0000	60	EA	TEE - 4" X 4# X 2" RED ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80, A-234 WPB		
23.0000	200	EA	THREDOLET 1/2# X 3000#, ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80, A-234 WPBTHREDOLET 1/2" X 3000#, THREADED A105, (FEMALE)(TO BE FITTED ON A RANGE OF 8"-2" FLOWLINE)		
24.0000	40	EA	WELDOLET 2# X 3000#, ALL FITTINGS TO BE BUTT WELD, LONG RADIUS TO ANSI B16.9 FORGED CARBON STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80, A-234 WPB WELDOLET 2" X 3000#, THREADED A105,(TO BE FITTED ON 6" FLOWLINE)		
25.0000	200	EA	NIPPLE, 1/2# PIPE, 2# LONG, ALL FITTINGS TO BE BUTT WELD, LONG LONG RADIUS TO ANSI B16.9 FORGED CARBON		

Continued

Core International Trading Corp

129 Fairfield Way, Suite 102
Bloomingdale, IL 60108 *USA
Tel: +1 (630) 351-1717 FAX: +1 (630) 351-1718
Web: www.coreintlcorp.com email: sales@coreintlcorp.com



Core RFQ

RFQ-019120

Continued

Page 6

Requested from:
SUPPLY CHAIN VENDOR

04/12/2021

Request for Quotation

CLOSING DATE					
04/07/2021					
Line	Quantity	U/M	Part Number Item Description	Unit Price	Amount
			STEEL TO ASTM A-234 GR B, WPB, BW, SCH. 80,A-234 WPB NIPPLE, 1/2" PIPE, 2" LONG, SCH80, T.B.E A105 (MALE NPT)		
26.0000	60	EA	WELDOLET 2# X 3000#,		

Please quote your lowest bid prices for resale.

Requested by:
FRED PFAUCHT
Phone: +1 (630) 351-1717
FAX: +1 (630) 351-1718

Remember to provide the following information:

- Payment terms
- Price basis
- Delivery Time
- Weight and Dimensions of total offered items
- Validity
- Manufacturer and Origin